

---

**From:** Heyl, Douglas [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=648ECEACC8174EF68495E6B92D969F97-DHEYL]  
**Sent:** 11/7/2017 1:59:52 PM  
**To:** White, Julia W [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=d92f33e7d43e44a9b15d6ec92e2348cb-jwbuckner]  
**Subject:** FW: ACP stormwater application - SWG040095 & SWG040096  
**Attachments:** AddInfoRequest.docx

This is to go tomorrow

Doug Heyl  
North Carolina Department of Environmental Quality  
919.707.9034 (Office)  
919.812.3415 (Mobile)  
douglas.hey@ncdenr.gov



*Email correspondence to and from this address is subject to the North Carolina Public Records Law and may be disclosed to third parties.*

---

**From:** Patterson, Robert D  
**Sent:** Tuesday, November 07, 2017 10:41 AM  
**To:** Munger, Bridget <bridget.munger@ncdenr.gov>; Holman, Sheila <sheila.holman@ncdenr.gov>; Nicholson, John A. <John.Nicholson@ncdenr.gov>; Kelley, Mary P <Mary.Kelley@ncdenr.gov>; Heyl, Douglas <Douglas.Heyl@ncdenr.gov>  
**Cc:** Davis, Tracy <tracy.davis@ncdenr.gov>; Lucas, Annette <annette.lucas@ncdenr.gov>; Vinson, Toby <toby.vinson@ncdenr.gov>; Cole, Brad <brad.cole@ncdenr.gov>; LaBounty, Tim L <tim.labounty@ncdenr.gov>; Denton, Bill <bill.denton@ncdenr.gov>  
**Subject:** RE: ACP stormwater application - SWG040095 & SWG040096

Here is the request for add. info. I've drafted. Please let me know if you have any comments/questions before I send it out. I'm targeting to mail it tomorrow, but let me know if you need more time to review. Thanks.

**Robert D. Patterson, P.E.**

Environmental Engineer  
919-807-6369 | [Robert.Patterson@ncdenr.gov](mailto:Robert.Patterson@ncdenr.gov)  
<https://deq.nc.gov/about/divisions/energy-mineral-land-resources/stormwater>

NC Dept. of Environmental Quality  
DEMLR Stormwater Program  
512 N. Salisbury St.  
1612 Mail Service Center  
Raleigh, NC 27699-1612

*Email correspondence to and from this address is subject to the North Carolina Public Records Law and may be disclosed to third parties.*

---

**From:** Patterson, Robert D  
**Sent:** Monday, November 06, 2017 2:26 PM  
**To:** Munger, Bridget <[bridget.munger@ncdenr.gov](mailto:bridget.munger@ncdenr.gov)>; Holman, Sheila <[sheila.holman@ncdenr.gov](mailto:sheila.holman@ncdenr.gov)>; Nicholson, John A. <[John.Nicholson@ncdenr.gov](mailto:John.Nicholson@ncdenr.gov)>; Kelley, Mary P <[Mary.Kelley@ncdenr.gov](mailto:Mary.Kelley@ncdenr.gov)>; Heyl, Douglas <[Douglas.Heyl@ncdenr.gov](mailto:Douglas.Heyl@ncdenr.gov)>  
**Cc:** Davis, Tracy <[tracy.davis@ncdenr.gov](mailto:tracy.davis@ncdenr.gov)>; Lucas, Annette <[annette.lucas@ncdenr.gov](mailto:annette.lucas@ncdenr.gov)>; Vinson, Toby <[toby.vinson@ncdenr.gov](mailto:toby.vinson@ncdenr.gov)>; Cole, Brad <[brad.cole@ncdenr.gov](mailto:brad.cole@ncdenr.gov)>; LaBounty, Tim L <[tim.labounty@ncdenr.gov](mailto:tim.labounty@ncdenr.gov)>; Denton,

Bill <[bill.denton@ncdenr.gov](mailto:bill.denton@ncdenr.gov)>

**Subject:** RE: ACP stormwater application

All,

It appears I'll need to request additional information for these stormwater general permit applications. The 11x17 plan sheets they submitted are not to scale, and not legible. I really can't begin the review until I have legible plans.

I'll send a copy of the add. info. letter to you all prior to sending it out to ACP.

Thanks.

**Robert D. Patterson, P.E.**

Environmental Engineer

919-807-6369 | [Robert.Patterson@ncdenr.gov](mailto:Robert.Patterson@ncdenr.gov)

<https://deq.nc.gov/about/divisions/energy-mineral-land-resources/stormwater>

NC Dept. of Environmental Quality

DEMLR Stormwater Program

512 N. Salisbury St.

1612 Mail Service Center

Raleigh, NC 27699-1612

*Email correspondence to and from this address is subject to the North Carolina Public Records Law and may be disclosed to third parties.*

---

**From:** Munger, Bridget

**Sent:** Monday, November 06, 2017 1:43 PM

**To:** Holman, Sheila <[sheila.holman@ncdenr.gov](mailto:sheila.holman@ncdenr.gov)>; Nicholson, John A. <[John.Nicholson@ncdenr.gov](mailto:John.Nicholson@ncdenr.gov)>; Kelley, Mary P <[Mary.Kelley@ncdenr.gov](mailto:Mary.Kelley@ncdenr.gov)>; Heyl, Douglas <[Douglas.Heyl@ncdenr.gov](mailto:Douglas.Heyl@ncdenr.gov)>

**Cc:** Davis, Tracy <[tracy.davis@ncdenr.gov](mailto:tracy.davis@ncdenr.gov)>; Patterson, Robert D <[robert.patterson@ncdenr.gov](mailto:robert.patterson@ncdenr.gov)>; Lucas, Annette <[annette.lucas@ncdenr.gov](mailto:annette.lucas@ncdenr.gov)>; Vinson, Toby <[toby.vinson@ncdenr.gov](mailto:toby.vinson@ncdenr.gov)>

**Subject:** ACP stormwater application

The central office stormwater permitting unit just received applications for both stormwater general permits that are required for the ACP project.

Bridget Munger

Public Information Officer

N.C. Department of Environmental Quality

919-807-6363 office

919-207-7786 mobile

[bridget.munger@ncdenr.gov](mailto:bridget.munger@ncdenr.gov)

1612 Mail Service Center

Raleigh, NC 27699-1612

*Email correspondence to and from this address is subject to the  
North Carolina Public Records Law and may be disclosed to third parties.*